

## APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office DE	C 1 4 1993
Returned to applicant for correction	·····
Corrected application filed	Map filed JUL <b>0</b> 7 1992 under 57828
The applicant Jack D. Ferris.	David D. Winchell, & George M. Thiel
<del></del>	
	of Dayton City or Town
	hereby make application for permission to change the
Point of Diversion and Place Point of div	of Use of a portion ersion, manner of use, and/or place of use
of water heretofore appropriated under Pe	ermit 56857 ntify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and
identify right in Decree.	
······································	
***************************************	
1. The source of water isUndergrou	and Name of stream, lake, underground spring or other source.
2. The amount of water to be changed0.	4835 cfs (28.425 MGA) Second feet, acre feet. One second foot equals 448.83 gallons per minute.
	Aunicipal and Domestic  To power, mining, industrial, etc. If for stock state number and kind of animals.
	Quasi-Municipal and Domestic rigation, power, mining, industrial, etc. If for stock state number and kind of animals.
5. The water is to be diverted at the following p	point NE1/4 NE1/4 Section 33, T. 14  Describe as being within a 40-acre subdivision of public survey and by course and
N. R. 20 E., M.D.B. & M., OI	at a point from which the N1/4 corner
	580 38' 00" W., a distance of 2676.0 feet.
6. The existing permitted point of diversion is le	ocated within NW1/4 SW1/4 Section 28, T.14N., If point of diversion is not changed, do not answer.
	point from which the SW corner of said
	O" W., a distance of 2871.97 feet.
	·
7. Proposed place of use <u>See</u> Describe	Exhibit "A" by legal subdivisions. If for irrigation state number of acres to be irrigated.
8. Existing place of use S1/2 SE1/4 S	Section 20; S1/2 SE1/4 Section 21; visions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or
Section 27; Section 28; E1/2	Section 29; SE1/4 SW1/4 Section 29;
manner of use of irrigation permit, describe acreage to be removed. Section 33: Section 34: all v	vithin T.14N., R.20E., M.D.B.&M.
	totoof each year.
10. Use was permitted from January  Month and	1 December 31 of each year.  Day Month and Day
11. Description of proposed works. (Under the p	provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage wo	orks.) A drilled and cased well, equipped  State manner in which water is to be diverted, i.e. diversion structure,
with a motor, pump, distribut	tion system, and a 660,000 gallon storage
ditches, pipes and flumes, or drilled well, etc.	tank. \$850,000.00
13. Estimated time required to construct works	Works completed under Permit 31222

consump		
Sec	e attached Exhibit "I	B"
***************************************		
***************************************		<u></u>
		s/ Greq M. Bilyeu
	, in/ble	By Thiel, Winchell & Associates 34 Lakes Boulevard, Suite 10
Compared	jv/ gkl jr/bk	Dayton, Nevada 89403
Protested		
	== APP	ROVAL OF STATE ENGINEER
	o certify that I have examined the sitations and conditions:	e foregoing application, and do hereby grant the same, subject to
		CLALLES SETERE AND UCD OF THE WOTER NACING OF NA
install designa to regu T public,	ed and maintained to pre- ted by the State Engineer late the use of the water this permit does not exter private or corporate later the issuance of this perm	stalled before any use of the water begins or before is filed. If the well is flowing, a valve must event waste. This source is located within an a pursuant to NRS 534.030. The State retains the right pursuant to the region and all times. and the permittee the right of ingress and egress ands. In the does not waive the requirements that the permittee, Federal and local agencies.
install designa to regu T public, T holder	ed and maintained to presented by the State Engineer clate the use of the water this permit does not exteriorate or corporate large the issuance of this permobtain other permits from	is filed. If the well is flowing, a valve must event waste. This source is located within an a pursuant to NRS 534.030. The State retains the right of ingress and egress and the permittee the right of ingress and egress ands.  In the does not waive the requirements that the permittee and local agencies.  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not not the does not waive the applied to beneficial use, and not not the does not waive the applied to beneficial use, and not not the does not waive the applied to beneficial use, and not not the does not waive the applied to beneficial use, and not
install designa to regu T public, T holder	ed and maintained to presented by the State Engineer clate the use of the water this permit does not exteriorate or corporate large the issuance of this permobtain other permits from	is filed. If the well is flowing, a valve must event waste. This source is located within an a pursuant to NRS 534.030. The State retains the right of granted at any and all times. and the permittee the right of ingress and egress ands. In the second state, rederal and local agencies.
install designa to regu T public, T holder  The amount of	ed and maintained to prested by the State Engineer clate the use of the water this permit does not exteriorate or corporate large the issuance of this permits from the obtain other permits from the control of water to be changed shall be like the control of the control of water to be changed shall be like the control of water to	is filed. If the well is flowing, a valve must event waste. This source is located within an a pursuant to NRS 534.030. The State retains the right of ingress and egress and the permittee the right of ingress and egress ands.  In the does not waive the requirements that the permittee and local agencies.  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not not the does not waive the applied to beneficial use, and not not the does not waive the applied to beneficial use, and not not the does not waive the applied to beneficial use, and not not the does not waive the applied to beneficial use, and not
install designa to regu T public, T holder  The amount of exceed	ded and maintained to presented by the State Engineer late the use of the water this permit does not extermit permit does not extermit the issuance of this permobal of water to be changed shall be limited to the desired of the control of water to be changed shall be limited to the control of water to be changed shall be limited to the changed shall	is filed. If the well is flowing, a valve must event waste. This source is located within an a pursuant to NRS 534.030. The State retains the right of ingress and egress and the permittee the right of ingress and egress ands.  Init does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not must be compared to the mount which can be applied to beneficial use, and not compared to the exceed 18.73.
install designa to regu T public, T holder  The amount of exceed	ed and maintained to presented by the State Engineer clate the use of the water this permit does not exteriorate or corporate large the issuance of this permits from the obtain other permits from the control of water to be changed shall be like the control of water to be changed sh	is filed. If the well is flowing, a valve must event waste. This source is located within an a pursuant to NRS 534.030. The State retains the right of pursuant to NRS 534.030. The State retains the right retains the right of ingress and egress and the permittee the right of ingress and egress ands. The does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second. The but not to exceed 18.73
install designa to regu T public, T holder  The amount of exceed	ed and maintained to presented by the State Engineer clate the use of the water this permit does not extermit and the issuance of this permobal of water to be changed shall be limited to the control of water to be changed shall be limited as a gallons annually.  The prosecuted with reasonable diligeral pletion of work shall be filed before	tis filed. If the well is flowing, a valve must event waste. This source is located within an a pursuant to NRS 534.030. The State retains the right of pursuant to new and all times. In the permittee the right of ingress and egress ands. In the permittee the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second , but not to exceed 18.73.  In the state of the second is a second to be second and not be second and second to be second and second to be second and second to exceed 18.73.  In the state of the second is a second to be second and second to be second and second to be second and second to be second to be second and second to second to be second and second to be second and second to second
install designa to regu T public, T holder  The amount of exceed	ded and maintained to presented by the State Engineer late the use of the water this permit does not extermit and the issuance of this permobal of water to be changed shall be limited as a gallons annually.  The prosecuted with reasonable diligerate pletion of work shall be filed before the water to beneficial use shall be made at the state of the state	tis filed. If the well is flowing, a valve must event waste. This source is located within an a pursuant to NRS 534.030. The State retains the right of ingress and egress and the permittee the right of ingress and egress ands.  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second. but not to exceed 18.73  Indicated to the amount which can be applied to beneficial use, and not cubic feet per second. but not to exceed 18.73  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second. but not to exceed 18.73  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second. but not to exceed 18.73  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second. but not to exceed 18.73  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second. but not to exceed 18.73  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second. but not to exceed 18.73  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second.
install designa to regu T public, T holder  The amount of exceed	ded and maintained to presented by the State Engineer late the use of the water this permit does not exterior private or corporate later the issuance of this permits from the issuance of this permits from the obtain other permits from the control of water to be changed shall be limited as a gallons annually.  The prosecuted with reasonable diliger pletion of work shall be filed before the water to beneficial use shall be mapplication of water to beneficial use.	t is filed. If the well is flowing, a valve must event waste. This source is located within an a pursuant to NRS 534.030. The State retains the right of ingress and egress and the permittee the right of ingress and egress ands.  In does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second , but not to exceed 18.73  In an an applied to beneficial use, and not cubic feet per second , but not to exceed 18.73  In an applied to beneficial use, and not cubic feet per second , but not to exceed 18.73  In an applied to beneficial use, and not cubic feet per second , but not to exceed 18.73  In an applied to beneficial use, and not cubic feet per second , but not to exceed 18.73  In an applied to beneficial use, and not cubic feet per second , but not to exceed 18.73  In an applied to beneficial use, and not cubic feet per second , but not to exceed 18.73  In a purpose of the second of the second seco
install designa to regu T public, T holder  The amount of exceed	ded and maintained to presented by the State Engineer late the use of the water this permit does not exterior private or corporate later the issuance of this permits from the issuance of this permits from the obtain other permits from the control of water to be changed shall be limited as a gallons annually.  The prosecuted with reasonable diliger pletion of work shall be filed before the water to beneficial use shall be mapplication of water to beneficial use.	tis filed. If the well is flowing, a valve must event waste. This source is located within an a pursuant to NRS 534.030. The State retains the right of ingress and egress and the permittee the right of ingress and egress ands.  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second. but not to exceed 18.73  Indicated to the amount which can be applied to beneficial use, and not cubic feet per second. but not to exceed 18.73  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second. but not to exceed 18.73  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second. but not to exceed 18.73  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second. but not to exceed 18.73  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second. but not to exceed 18.73  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second. but not to exceed 18.73  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second.
install designa to regu T public, T holder  The amount of exceed Million  Work must be Proof of comp Application of Proof of the a Map in suppo	ded and maintained to presented by the State Engineer late the use of the water this permit does not exterior private or corporate later the issuance of this permits from the issuance of this permits from the obtain other permits from the control of water to be changed shall be limited as a gallons annually.  The prosecuted with reasonable diliger pletion of work shall be filed before the water to beneficial use shall be mapplication of water to beneficial use.	tis filed. If the well is flowing, a valve must event waste. This source is located within an a pursuant to NRS 534.030. The State retains the right of ingress and egress and the permittee the right of ingress and egress ands.  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second , but not to exceed 18.73  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second , but not to exceed 18.73  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second , but not to exceed 18.73  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second . But not to exceed 18.73  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second . But not to exceed 18.73  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second . But not to exceed 18.73  In the does not waive the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second . But not to exceed 18.73  In the does not waive the requirements that the permitted to the permitted
install designa to regu T public, T holder  The amount of	ded and maintained to presented by the State Engineer that the use of the water this permit does not extermit and the issuance of this permobal of water to be changed shall be limited as a prosecuted with reasonable diligeration of work shall be filed beform the filed beforms application of water to beneficial use shall be mapplication of water to beneficial use shall be the filed beforms of proof of beneficial use shall be the filed beforms of the proof of beneficial use shall be the filed beneficial use shall be filed beneficial use shall be the filed beneficial use shall be	is filed. If the well is flowing, a valve must event waste. This source is located within an a pursuant to NRS 534.030. The State retains the right of ingress and egress and the permittee the right of ingress and egress ands.  In the permittee the right of ingress and egress ands.  In the permittee the requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second. but not to exceed 18.73  In the permittee the right of ingress and egress
install designato regu Tpublic, Tholder  The amount of exceed	ded and maintained to presented by the State Engineer that the use of the water this permit does not extend private or corporate larger that issuance of this permobal of water to be changed shall be limbered to be changed shall be filled before the state of water to beneficial use shall be more of proof of beneficial use shall be cort of proof of beneficial use shall be work filled.  GCT 13 1995	is filed. If the well is flowing, a valve must event waste. This source is located within an apursuant to NRS 534.030. The State retains the right of retaining the right of ingress and egress and the permittee the right of ingress and egress ands. The state requirements that the permitted to the amount which can be applied to beneficial use, and not cubic feet per second. But not to exceed 18.73  The state is a second of the second is a second or before.  The state is a second is a second is a second in the second in the second in the second is a second in the sec

(O)-1108 (Rev. 6-8)

## EXHIBIT "A" Proposed Place of Use

The NW 1/4 and the W 1/2 of the SW 1/4 of Section 1; all of Sections 2, 3 and 4; the NE 1/4 and the E 1/2 of the NW 1/4 of Section 10; the N 1/2 of Section 11 and the W 1/2 of the NW 1/4 of Section 12 all within T. 13 N., R. 20 E., M.D.B. & M.

The SE 1/4 and the S 1/2 of the NE 1/4 of Section 20; the S 1/2 and the S 1/2 of the NW 1/4, and the SW 1/4 of the NE 1/4 of Section 21; the SW 1/4 of the SW 1/4 of Section 22; the E 1/2 of Section 29; all of Sections 26, 27, 28, 33, 34 and 35; the E 1/2 of Section 32 and the W 1/2 of Section 36 all within T. 14 N., R. 20 E., M.D.B. & M.

## **EXHIBIT "B"**

This application is being filed to move water rights into the county owned Mt. View system to supply water for upcoming phases of the Saratoga Springs Estates without having to file numerous change applications. As water is dedicated to the county for each phase, a certified copy of the deed transferring the appropriate amount of said water will be filed with the State Engineer for updating the assignment.

For the existing place of use, please use the map on file in support of Permit 53094.

For the proposed point of diversion and place of use and existing point of diversion please use the map on file in support of Permit  $\underline{\phantom{0}57828}$ 

.